


LigoWave Solutions for Elevator Surveillance

2018

LigoWave Solutions for Elevator Surveillance

Security, whether personal or property, is one of the top priorities of any institution or business. And while ensuring security is easy to achieve in areas such as hallways and stairwells, it becomes tricky with places like elevators, where the main challenge is constant mobility.

The solution is wireless surveillance. If done right, IP surveillance cameras can be an effective, practical, and inexpensive solution to elevator security. For example:



This can be done with wireless devices mounted to the bottom of the elevator cabin and the ground platform of the shaft, if necessary. There is also the option of setting up links on both sides of the elevator cabin, one serving as the main and the other as the redundancy link.

Such dynamic surveillance scenarios require specialized wireless data transfer equipment. LigoWave offers a set of solutions from its time-tested LigoDLB Series:



DLB 2-9

A 2.4GHz CPE with an integrated 9dBi antenna



DLB 5-15

A 5GHz CPE with an integrated 15dBi antenna



DLB ECHO 5

A 5GHz wireless device with an integrated 15dBi antenna

Key DLB Features for Elevator Surveillance



Cost-Efficient

Optimal priceperformance ratio & high return on investment.



Smart & Flexible

A compact solution with a powerful small form factor & universal mounting.



Dynamic Link Support

Automatic transmit power control ensures link stability upon changes in distance.



Multiple Data Streams

Concurrent HD video, VoIP & data streams for surveillance, communication & internet access.